

AMC-1034 Carbon Monoxide / Propane Monitor

Available exclusively from Ecco Supply the AMC-1034 from Armstrong Monitoring is a dual channel Monitor with an integral electrochemical carbon monoxide Sensor Module and a remote solid state propane sensor.

The integral CO sensor module is easily changed and is eligible for the EZ Cal™ service program taking the work and risk out of maintaining your gas detection system.

SPECIFICATIONS

Detectable Gases

CO (0-100ppm), Propane (0-50% LEL)

User Interface

Keypad: 3 Button

Indicators: OLED Display (8 lines x 20 characters)
LEDs for Sensor, Operation, Fault

Electrical

Supply Voltage: 120VAC 60 Hz+

Relay Contacts: 2 DPDT 10A @ 250 VAC Res.

Mechanical

Enclosure: UV Stabilized Polycarbonate

UL508a File# E519183

Nema 4,4X,12,13, IP67

Flammability Rating: UL94V-0

Dimensions: 11.750" L x 9.980" W (298.45mm x
253.49mm) X 5.460" (138.68mm)

Operating Temperature: -20°C to 40°C
-4°F to 104°F

Approvals:



PROUDLY MADE IN CANADA



FEATURES

- Alarms disabled during warm up
- System test option in Menu
- User selectable:
 - Activation Delays (5 mins)
 - Minimum Run Timer
- 95 dBa Audio Alarm
- Hinged door with integrated lock hole
- Optional latching relays with manual reset

CO Sensor

- 0-100 ppm range
- Electrochemical Sensor
- Mounted on monitoring unit
- Capable of covering up to 7500 sq. ft. (50 ft radius)

Propane Sensor

- 0-50% LEL range
- Solid state sensor
- Mounted approximately 12" from floor for propane monitoring
- Capable of covering up to 7500 sq. ft. (50 ft radius)

AMC-1034 Internal View

